

Deck the Halls Patch Overview

Florida Studio Theatre
Opening: Nov. 29, 2025

Director: Caroline Saldivar
Sound Designer: Nicholas Ryan

Input List								
Channel	Label	Location	Stand Type	Mic Type	WLX Freq.	WLX Pack	Patch	Notes
1	Angel 1	DSR	Rigged	PRO 45			AD1	
2	Angel 2	DSC	Rigged	PRO 45			AD2	
3	Angel 3	DSL	Rigged	PRO 45			AD3	
4	Angel 4	USR	Rigged	PRO 45			AD4	
5	Angel 5	USL	Rigged	PRO 45			AD5	
6	Dellan/Santa	Dellan S.	HH	SLX2	H19	1	AD6	
7	Jillian/Mrs. C.	Jillian H.	HH	SLX2	L4	2	AD7	
8	Flynn/Jolly	Flynn N.	HH	SLX2	H19	3	AD8	
9	Nessa/Tinsel	Nessa S.	HH	SLX2	J3	4	AD9	
10	Chris/Candy	Chris A.	HH	SLX2	L4	5	AD12	
11	Cam/Jingle	Cam L.	HH	SLX2	H5	6	AD10	
12	Ray/Jangle	Ray B.	HH	SLX2	J3	7	AD11	
13							AD13	
14							AD14	
15							AD15	
16	God Mic	Booth	Table stand	565SD			AD16	
17	QLab - USR	Booth		Fireface			Slot 1 - In 1	
18	QLab - USL	Booth		Fireface			Slot 1 - In 2	
19	QLAB - DSR	Booth		Fireface			Slot 1 - In 3	
20	QLab - DSL	Booth		Fireface			Slot 1 - In 4	
21	QLab - Mids	Booth		Fireface			Slot 1 - In 5	
22	QLab - Rear	Booth		Fireface			Slot 1 - In 6	
23	QLab - BoH	Booth		Fireface			Slot 1 - In 7	
24	QLab - Sub	Booth		Fireface			Slot 1 - In 8	
25	QLab - Mon.	Booth		Fireface			Omni In 1	
26								
27								
28								
29								
30								
31								
32								
33	FX1L						FX 1 L	
34	FX1R						FX 1 R	
35	FX2L						FX 2 L	
36	FX2R						FX 2 R	
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								

Output List									
Label	Location	Stand/Mount	Speaker Type	#	Signal Source ID	Signal Source Label	Source Patch	Amp	Notes
USR	USR	Flown	EAW 2396	1	AUX1	USR	Omni Out 1	Amp 6 - 1	
USL	USL	Flown	EAW 2396	1	AUX2	USL	Omni Out 2	Amp 6 - 2	
DSR	DSR	Flown	EAW 2396	1	ST L	DSR	Omni Out 3	Amp 7 - 2	
DSL	DSL	Flown	EAW 2396	1	ST R	DSL	Omni Out 4	Amp 7 - 1	
Mid Fills	House ceiling, mid house	Mounted	Atlas SM52-B	2	AUX5	Midfills	Omni Out 5	Amp 8	
Rear Fills	House ceiling, rear house	Mounted	Atlas SM52-B	2	AUX6	Rearfills	Omni Out 6	Amp 9	
BoH	Back of House wall	Mounted	Atlas SM52-B	2	BUS4	BoH	Omni Out 12	Amp 10	
Sub	Under stage, SL	On ground	EAW VRS18	1	BUS7	Sub	Omni Out 8	Amp 11	
Actor Monitors	DS Apron	On ground	Galaxy Audio Hot Spot	2	AUX3	Actor Mon.	Omni Out 9	Amp 12 - 1	
Backstage	SM office, dressing rooms	Mounted	JBL Control 29AV	2	BUS6	Backstage	Omni Out 10	Amp 12 - 2	
Outside	Lobby, Bea Friedman, Outsi	Mounted	JBL Control 29AV	2	Fireface PH 2		Fireface Out 11/12	Amps 1-5	
Loop	Under floor	Ground	Induction wire		BUS8	Loop	Omni Out 11	Amp 13	

Deck the Halls Channel Schedule

Florida Studio Theatre
Opening: Nov. 29, 2025

Director: Caroline Saldivar
Sound Designer: Nicholas Ryan

Channels									Stereo Mains						
Channel	ID	Name	Long Label	Short Label	Level	Input	Source	Notes	O/P	ID	Purpose	Long Label	Short Label	Point Source	Notes
1	CH1	Angel 1	Angel1	Ange	Mic	AD In 1	PRO 45 - 1		L	ST	DSR	STEREO	ST	Post Fader	
2	CH2	Angel 2	Angel2	Ange	Mic	AD In 2	PRO 45 - 2		R	ST	DSL	STEREO	ST	Post Fader	
3	CH3	Angel 3	Angel3	Ange	Mic	AD In 3	PRO 45 - 3		Auxes						
4	CH4	Angel 4	Angel4	Ange	Mic	AD In 4	PRO 45 - 4		O/P	ID	Purpose	Long Label	Short Label	Point Source	Notes
5	CH5	Angel 5	Angel5	Ange	Mic	AD In 5	PRO 45 - 5		1	AUX1	USR	USR	USR	Post Fader	
6	CH6	Dellan/Santa	Dellan	Dell	Mic	AD In 6	SLX4 - 1		2	AUX2	USL	USL	USL	Post Fader	
7	CH7	Jillian/Mrs. C.	Jillian	Jill	Mic	AD In 7	SLX4 - 2		3	AUX3	Actor Mon.	Actor Mon.	AMon	Post Fader	
8	CH8	Flynn/Jolly	Flynn	Flyn	Mic	AD In 8	SLX4 - 3		4	AUX4	Piano Mon.	Piano Mon.	PMon	Post Fader	
9	CH9	Nessa/Tinsel	Nessa	Ness	Mic	AD In 9	SLX4 - 4		5	AUX5	Midfills	Midfills	Mids	Post Fader	
10	CH10	Chris/Candy	Chris	Chri	Mic	AD In 10	SLX4 - 5		6	AUX6	Rearfills	Rearfills	Rear	Post Fader	
11	CH11	Cam/Jingle	Cam	Cam	Mic	AD In 11	SLX4 - 6		7	AUX7	FX1	FX1	FX1	Post Fader	
12	CH12	Ray/Jangle	Ray	Ray	Mic	AD In 12	SLX4 - 7		8	AUX8	FX2	FX2	FX2	Post Fader	
13	CH13					AD In 13			Buses						
14	CH14					AD In 14			O/P	ID	Purpose	Long Label	Short Label	Point Source	Notes
15	CH15					AD In 15			1	BUS1					
16	CH16	God Mic	God	God	Mic	AD In 16	565SD		2	BUS2					
17	CH17	QLab - USR	QLab USR	QLab	Line	Slot 1 - 1	Fireface - 1		3	BUS3					
18	CH18	QLab - USL	QLab USL	QLab	Line	Slot 1 - 2	Fireface - 2		4	BUS4	BoH	BoH	BoH	NA	
19	CH19	QLAB - DSR	QLab DSR	QLab	Line	Slot 1 - 2	Fireface - 3		5	BUS5	FoH	FoH	FoH	NA	
20	CH20	QLab - DSL	QLab DSL	QLab	Line	Slot 1 - 3	Fireface - 4		6	BUS6	Backstage	Backstage	Back	NA	
21	CH21	QLab - Mids	QLab Mids	QLab	Line	Slot 1 - 3	Fireface - 5		7	BUS7	Sub	Sub	Sub	NA	
22	CH22	QLab - Rear	QLab Rear	QLab	Line	Slot 1 - 4	Fireface - 6		8	BUS8	Loop	Loop	Loop	NA	
23	CH23	QLab - BoH	QLab BoH	QLab	Line	Slot 1 - 4	Fireface - 7		Effects						
24	CH24	QLab - Sub	QLab Sub	QLab	Line	Slot 1 - 5	Fireface - 8		Effect 1						
25	CH25	QLab - Mon.	QLab Mon	QLab	Line	Omni In 1	Fireface - 9/10		O/P	Source ID	Source Label	FX Type	Purpose	Output Label	Notes
26	CH26								1	AUX7	FX1	Reverb Plate	Vocal FX	FX1L (Ch 33)	
27	CH27								2					FX1R (Ch 34)	
28	CH28								3						
29	CH29								4						
30	CH30								5						
31	CH31								6						
32	CH32								7						
33	CH33	FX1L	FX1L	FX1L	Line	FX1 Out 1	FX1 Return L	Paired	8						
34	CH34	FX1R	FX1R	FX1R	Line	FX1 Out 2	FX1 Return R	Paired	Effect 2						
35	CH35	FX2L	FX2L	FX2L	Line	FX2 Out 1	FX2 Return L	Paired	O/P	Source ID	Source Label	FX Type	Purpose	Output Label	Notes
36	CH36	FX2R	FX2R	FX2R	Line	FX2 Out 2	FX2 Return R	Paired	1						
37	CH37								2						
38	CH38								3						

39	CH39									1	AUX8	FX2	Reverb Stage	Vocal FX 2	FX2R (Ch 35)	
40	CH40									2					FX2R (Ch 36)	
41	CH41									Effect 3						
42	CH42									O/P	ID	Source			Output	Destination
43	CH43									1						
44	CH44									2						
45	CH45									Effect 4						
46	CH46									O/P	ID	Source			Output	Destination
47	CH47									1						
48	CH48									2						

Deck the Halls Patch Schedule

**Florida Studio Theatre
Opening: Nov. 29, 2025**

**Director: Caroline Saldivar
Sound Designer: Nicholas Ryan**

Local Inputs									
I/P	Label	Channel	Level	Phantom	Pad	Gain	Source Patch	Source	Notes
1	Angel 1	Ch 1	Mic	On	Off	2.9	Snake 2 - 1	PRO 45	
2	Angel 2	Ch 2	Mic	On	Off	2.9	Snake 2 - 2	PRO 45	
3	Angel 3	Ch 3	Mic	On	Off	2.9	Snake 2 - 3	PRO 45	
4	Angel 4	Ch 4	Mic	On	Off	2.6	Snake 2 - 4	PRO 45	
5	Angel 5	Ch 5	Mic	On	Off	2.7	Snake 2 - 5	PRO 45	
6	Dellan	Ch 6	Mic	Off	Off	3.6	Snake 2 - 6	SLX4 - 1	
7	Jillian	Ch 7	Mic	Off	Off	4.5	Snake 2 - 7	SLX4 - 2	
8	Flynn	Ch 8	Mic	Off	Off	3.1	Snake 2 - 8	SLX4 - 3	
9	Nessa	Ch 9	Mic	Off	Off	4.2	Snake 2 - 9	SLX4 - 4	
10	Chris	Ch 11	Mic	Off	Off	3.4	Snake 2 - 10	SLX4 - 5	
11	Cam	Ch 12	Mic	Off	Off	3.7	Snake 2 - 11	SLX4 - 6	
12	Ray	Ch 10	Mic	Off	Off	3.8	Snake 2 - 12	SLX4 - 7	
13		Ch 13		Off	Off	4.8	Snake 2 - 14		
14		Ch 14		Off	Off	3.3	Snake 2 - 13		
15		Ch 15		Off	Off	3.0	Snake 2 - 16		
16	God	Ch 16	Mic	Off	Off	4.6	Direct	565SD	

Omni Outputs						
O/P	Source ID	Source Label	Destination Patch	Destination	Purpose	Notes
1	AUX1	USR	Direct	Amp 6 - 1	USR	
2	AUX2	USL	Direct	Amp 6 - 2	USL	
3	ST-L	DSR	Direct	Amp 7 - 1	DSR	
4	ST-R	DSL	Direct	Amp 7 - 2	DSL	
5	AUX5	Midfills	Direct	Amp 8 - 1 & 2	Mids	
6	AUX6	Rearfills	Direct	Amp 9 - 1 & 2	Rear	
7	BUS5	FoH	Direct		FoH	
8	BUS7	Sub	Direct	Amp 11 - 1	Sub	
9	AUX3	Actor Mon.	Direct	Amp 12 - 1	Actor Mon.	
10	BUS6	Backstage	Direct	Amp 12 - 2	Backstage	
11	BUS8	Loop	Direct	Amp 13 - 1	Loop	
12	BUS4	BoH	Direct	Amp 10 - 1 & 2	BoH	

Omni Inputs									
I/P	Label	Channel	Level	Phantom	Pad	Gain	Source Patch	Source	Notes
1	Qlab - Mon	Ch 25	NA	NA	NA	NA	Direct	Fireface Out 9/10	
2			NA	NA	NA	NA			
3			NA	NA	NA	NA	Snake 2 - 15		
4			NA	NA	NA	NA			

Slot 2:						
O/P	Source ID	Source Label	Destination Patch	Destination	Purpose	Notes
1	ST L	DSR	Direct		Archival	
2			Direct	ClearCom CS-72	Program Feed	
3	AUX8	FX2				
4	AUX4	Piano Mon.				

Slot 1: Fireface Inputs									
I/P	Label	Channel	Level	Phantom	Pad	Gain	Source Patch	Source	Notes
1	Qlab - USR	Ch 17	Line	NA	NA	NA	Snake 4 - 1	Fireface Out 1	
2	Qlab - USL	Ch 18	Line	NA	NA	NA	Snake 4 - 2	Fireface Out 2	
3	Qlab - DSR	Ch 19	Line	NA	NA	NA	Snake 4 - 3	Fireface Out 3	
4	Qlab - DSL	Ch 20	Line	NA	NA	NA	Snake 4 - 4	Fireface Out 4	
5	Qlab - Mids	Ch 21	Line	NA	NA	NA	Snake 4 - 5	Fireface Out 5	
6	Qlab - Rear	Ch 22	Line	NA	NA	NA	Snake 4 - 6	Fireface Out 6	
7	Qlab - BoH	Ch 23	Line	NA	NA	NA	Snake 4 - 7	Fireface Out 7	
8	Qlab - Sub	Ch 24	Line	NA	NA	NA	Snake 4 - 8	Fireface Out 8	

2TR Output 1						
O/P	Source ID	Source Label	Destination Patch	Destination	Purpose	Notes
L	Unused					
R	Unused					

2TR Output 2						
O/P	Source ID	Source Label	Destination Patch	Destination	Purpose	Notes
L	Unused					
R	Unused					

2TR Input 1									
I/P	Label	Channel	Level	Phantom	Pad	Gain	Source Patch	Source	Notes
L			NA	NA	NA	NA			
R			NA	NA	NA	NA			

Data/Control Connections							
Input	Input Plug	Data Type	Purpose	Device	Device Patch	Device Plug	Notes
MIDI In	DIN 41524 P	MIDI	MIDI Rx	Fireface 802	MIDI Out	DIN 41524 P	
MIDI Out	DIN 42524 P	MIDI	MIDI TX	Fireface 802	MIDI In	DIN 41524 P	
Host USB	USB-B P	MIDI	Studio Manager	Mac Mini	USB	USB-A P	

2TR Input 2									
I/P	Label	Channel	Level	Phantom	Pad	Gain	Source Patch	Source	Notes
L			NA	NA	NA	NA			
R			NA	NA	NA	NA			

Notes							
Gain noted in as dashes 0-10.							

Deck the Halls Fireface Hookup

Florida Studio Theatre
Opening: Nov. 29, 2025

Director: Caroline Saldivar
Sound Designer: Nicholas Ryan

Fireface Software Inputs						Fireface Hardware Outputs					
I/P	Label	Level	Source Patch	Source	Notes	O/P	Source ID	Source Label	Destination Patch	Destination	Notes
AN 1	QLab - USR	0	Internal	QLab - USR		Main L	AN 1	QLab - USR	Snake 4 - 1	DM1000 Slot 1 In 1	
AN 2	QLab - USL	0	Internal	QLab - USL		Main R	AN 2	QLab - USL	Snake 4 - 2	DM1000 Slot 1 In 2	
AN 3	QLab - DSR	0	Internal	QLab - DSR		AN 3	AN 3	QLab - DSR	Snake 4 - 3	DM1000 Slot 1 In 3	
AN 4	QLab - DSL	0	Internal	QLab - DSL		AN 4	AN 4	QLab - DSL	Snake 4 - 4	DM1000 Slot 1 In 4	
AN 5	QLab - Mids	0	Internal	QLab - Mids		AN 5	AN 5	QLab - Mids	Snake 4 - 5	DM1000 Slot 1 In 5	
AN 6	QLab - Rear	0	Internal	QLab - Rear		AN 6	AN 6	QLab - Rear	Snake 4 - 6	DM1000 Slot 1 In 6	
AN 7	QLab - BoH	0	Internal	QLab - BoH		AN 7	AN 7	QLab - BoH	Snake 4 - 7	DM1000 Slot 1 In 7	
AN 8	QLab - Sub	0	Internal	QLab - Sub		AN 8	AN 8	QLab - Sub	Snake 4 - 8	DM1000 Slot 1 In 8	
PH 9	QLab - Mon.	6	Internal	QLab - Mon.		Phones 1 L	PH 9	QLab - Mon.	Direct	DM1000 Omni In 1	
PH 10	QLab - Mon.	6	Internal	QLab - Mon.		Phones 1 R	PH 10	QLab - Mon.	Direct	DM1000 Omni In 1	Possible issue
PH 11	QLab - Outside	0	Internal	QLab - Outside		Phones 2 L	PH 11	QLab - Outside	Direct	Amp 1, 2, 3, 4, & 5	
PH 12	QLab - Outside	0	Internal	QLab - Outside		Phones 2 R	PH 12	QLab - Outside	Direct	Amp 1, 2, 3, 4, & 5	XLR to RCA wiring?
AES		0				AES	AES				
ADAT 1		0				ADAT 1	ADAT 1				
ADAT 2		0				ADAT 2	ADAT 2				
ADAT 3		0				ADAT 3	ADAT 3				
ADAT 4		0				ADAT 4	ADAT 4				
ADAT 5		0				ADAT 5	ADAT 5				
ADAT 6		0				ADAT 6	ADAT 6				
ADAT 7		0				ADAT 7	ADAT 7				
ADAT 8		0				ADAT 8	ADAT 8				
ADAT 9		0				ADAT 9	ADAT 9				
ADAT 10		0				ADAT 10	ADAT 10				
ADAT 11		0				ADAT 11	ADAT 11				
ADAT 12		0				ADAT 12	ADAT 12				
ADAT 13		0				ADAT 13	ADAT 13				
ADAT 14		0				ADAT 14	ADAT 14				
ADAT 15		0				ADAT 15	ADAT 15				
ADAT 16		0				ADAT 16	ADAT 16				

Data/Control Connections

Input	Input Plug	Data Type	Purpose	Device	Device Patch	Device Plug	Notes
MIDI In	DIN 41524 P	MIDI	MIDI Rx	DM1000	MIDI Out	DIN 41524 P	
MIDI Out	DIN 42524 P	MIDI	MIDI TX	DM1000	MIDI In	DIN 41524 P	
USB	USB-B P	MIDI	Audio Interfa	Mac Mini	USB	USB-A P	

Deck the Halls Multi Details

Florida Studio Theatre
Opening: Nov. 29, 2025

Director: Caroline Saldivar
Sound Designer: Nicholas Ryan

Snake 1						
Model:						
End Locations:	From End:	SL WLX Recievers		To End:	SL BS Post	
Cable Path:	Tied up along ceiling					
Notes:						
#	Label:	From:	From Plug:	To:	To Plug:	Notes
1	Dellan	SLX4 - 1	XLR S	Snake 2 - 6	XLR P	
2	Jillian	SLX4 - 2	XLR S	Snake 2 - 7	XLR P	
3	Flynn	SLX4 - 3	XLR S	Snake 2 - 8	XLR P	
4	Nessa	SLX4 - 4	XLR S	Snake 2 - 9	XLR P	
5	Chris	SLX4 - 5	XLR S	Snake 2 - 10	XLR P	
6	Cam	SLX4 - 6	XLR S	Snake 2 - 11	XLR P	
7	Ray	SLX4 - 7	XLR S	Snake 2 - 12	XLR P	
8			SLX S		XLR P	
Snake 3						
Model:	Thoroughbred					
End Locations:	From End:	SL BS Post		To End:	Booth	
Cable Path:	Tied along ceiling, then through passage above SM office					
Notes:						
#	Label:	From:	From Plug:	To:	To Plug:	Notes
1			XLR S		XLR P	Marked bad
2			XLR S		XLR P	Marked bad
3			XLR S		XLR P	
4			XLR S		XLR P	
5			XLR S		XLR P	
6	SR Intercom	RS-701	XLR S	CS-72 A	XLR P	
7			XLR S		XLR P	
8			XLR S		XLR P	
9			XLR S		XLR P	
10			XLR S		XLR P	
11	SL Intercom	RS-701	XLR S	CS-72 A	XLR P	
12			XLR S		XLR P	
A			1/4" TS S		1/4" TS P	
B			1/4" TS S		1/4" TS P	
C			1/4" TS S		1/4" TS P	
D			1/4" TS S		1/4" TS P	

Snake 2						
Model:	Stage Master					
End Locations:	From End:	SL BS Post		To End:	Booth	
Cable Path:	Tied along ceiling, then through passage above SM office					
Notes:						
#	Label:	From:	From Plug:	To:	To Plug:	Notes
1	DSR	PRO 45 - 1	XLR S	DM1000 AD1	XLR P	
2	DSC	PRO 45 - 2	XLR S	DM1000 AD2	XLR P	
3	DSL	PRO 45 - 3	XLR S	DM1000 AD3	XLR P	
4	USR	PRO 45 - 4	XLR S	DM1000 AD4	XLR P	
5	USL	PRO 45 - 5	XLR S	DM1000 AD5	XLR P	
6	Dellan	Snake 1 - 1	XLR S	DM1000 AD6	XLR P	
7	Jillian	Snake 1 - 2	XLR S	DM1000 AD7	XLR P	
8	Flynn	Snake 1 - 3	XLR S	DM1000 AD8	XLR P	
9	Nessa	Snake 1 - 4	XLR S	DM1000 AD9	XLR P	
10	Chris	Snake 1 - 5	XLR S	DM1000 AD10	XLR P	
11	Cam	Snake 1 - 6	XLR S	DM1000 AD11	XLR P	
12	Ray	Snake 1 - 7	XLR S	DM1000 AD12	XLR P	
13			XLR S		XLR P	
14			XLR S		XLR P	
15			XLR S		XLR P	
16			XLR S		XLR P	
17			1/4" TS S		1/4" TS P	
18			1/4" TS S		1/4" TS P	
19			1/4" TS S		1/4" TS P	
20			1/4" TS S		1/4" TS P	
Snake 4						
Model:						
End Locations:	From End:	Fireface 802		To End:	Yamaha DM1000 Slot 1	
Cable Path:	Direct path					
Notes:						
#	Label:	From:	From Plug:	To:	To Plug:	Notes
1	QLab - USR	Fireface Out 1	1/4" TRS P	DM1000 Slot 1 - 1	Phoenix	
2	QLab - USL	Fireface Out 2	1/4" TRS P	DM1000 Slot 1 - 2	Phoenix	
3	QLab - DSR	Fireface Out 3	1/4" TRS P	DM1000 Slot 1 - 3	Phoenix	
4	QLab - DSL	Fireface Out 4	1/4" TRS P	DM1000 Slot 1 - 4	Phoenix	
5	QLab - Mids	Fireface Out 5	1/4" TRS P	DM1000 Slot 1 - 5	Phoenix	
6	QLab - Rear	Fireface Out 6	1/4" TRS P	DM1000 Slot 1 - 6	Phoenix	
7	QLab - BoH	Fireface Out 7	1/4" TRS P	DM1000 Slot 1 - 7	Phoenix	
8	QLab - Sub	Fireface Out 8	1/4" TRS P	DM1000 Slot 1 - 8	Phoenix	

Deck the Halls Amp Schedule									
Florida Studio Theatre					Director: Caroline Saldivar				
Opening: Nov. 29, 2025					Sound Designer: Nicholas Ryan				
Amp 1					Amp 2				
Model:	Realistic MPA-30				Model:	Realistic MPA-30			
Location:	Booth Rack		Level:	0	Location:	Booth Rack		Level:	12
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	Bea Friedman	0	Screw terminal	Lobby	1	Terrace	8	Screw terminal	Terrace
Notes:	bad, Lvl per notation				Notes:	Lvl per notation			
Amp 3					Amp 4				
Model:	Radio Shack 40 watt				Model:	Pyramid PA105			
Location:	Booth Rack		Level:	7	Location:	Booth Rack		Level:	NA
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	Back Patio/Coc	10	Screw terminal	Back Patio/Coc	1	Palm Ave	0	Screw terminal	?
Notes:	Levels per dots, 0-11				Notes:	bad, Lvl per notation			
Amp 5					Amp 6				
Model:	Optimus MPA-40				Model:	QSC PLX 3102			
Location:	Booth Rack		Level:	NA	Location:	Booth Rack		Level:	NA
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	Lobby	0	Screw terminal	unplugged	1	USR	2	Banana	USR
Notes:	Bad, Lvl per notation				2	USL	2	Banana	USL
					Notes:	Lvl per notation			
Amp 7					Amp 8				
Model:	QSC PLX 3102				Model:	QSC MX 850			
Location:	Booth Rack		Level:	NA	Location:	Booth Rack		Level:	NA
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	DSR	11	Banana	DSR	1	Mid L	24	Banana	Mid L
2	DSL	9	Banana	DSL	2	Mid R	24	Banana	Mid R
Notes:	Lvl per notation				Notes:	Lvl per notation			
Amp 9					Amp 10				
Model:	QSC MX 850				Model:	QSC MX 850			
Location:	Booth Rack		Level:	NA	Location:	Booth Rack		Level:	NA
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	Rear L	32	Banana	Rear L	1	BoH L	18	Banana	BoH L
2	Rear R	24	Banana	Rear R	2	BoH R	18	Banana	BoH R
Notes:	Lvl per notation				Notes:	Lvl per notation			

Amp 11					Amp 12				
Model:	QSC RMX 1450				Model:	QSC 1400			
Location:	Booth Rack		Level:	NA	Location:	Booth Rack		Level:	NA
Channel:	Label:	Level:	Out:	To:	Channel:	Label:	Level:	Out:	To:
1	Sub	26	Banana	Sub	1	Actor Mon.	2	Banana	Actor Mon.
2		26			2	Backstage	2	Banana	Backstage
Notes:	Lvl per notation				Notes:	Lvl per clock			
Amp 13									
Model:	Contacta 34PRO								
Location:	Booth Rack		Level:	NA					
Channel:	Label:	Level:	Out:	To:					
1	Loop		NL4 P	Loop					
Notes:									

Deck the Halls Scene List										
Florida Studio Theatre							Director: Caroline Saldivar			
Opening: Nov. 29, 2025							Sound Designer: Nicholas Ryan			
Page	Scene Name	Scene	Santa	Mrs. C	Jolly	Tinsel	Candy	Jingle	Jangle	Notes
1	Preshow	1								
3	Happy Holiday	2		FX	FX	FX	FX	FX	FX	
3	Holiday Season	3		FX	FX	FX	FX	FX	FX	
4	Holly, Jolly	4		FX	FX	FX	FX	FX	FX	
5	Intro	5		x	x	x	x	x	x	
9	Must Be Santa	6		FX	FX	FX	FX	FX	FX	Santa in at end - manual
11	Santa's Here	7	x	x	x	x	x	x	x	
13	It's Begining	8	FX	FX	FX	FX	FX	FX	x	Add Jangle to FX at end
14	Bridge Out of FL	9	x	x						Elves added & removed for their lines
15	Home Alone Pt 1	10	FX	FX		FX		x	FX	OS Choir
16	Home Alone Pt 2	11			x		x	x		
17	Home Alone Pt 1	10	FX	FX		FX		x	FX	
18	Bridge into NoL	12				x			x	
18	No-L	13				FX	FX	FX	FX	Add in Jingle, Candy, Jangle
19	Santa Bridge	14	x	x						
22	Marshmallow	15					FX			
24	Candy Kitchen	16					x			
25	Marshmallow 2	17			FX		FX			Take Jolly off FX for last line
24	Santa Bridge	14	-	-						
25	Paradise	18	FX	FX	FX	FX	FX	FX	FX	
28	Wrap Battle	19	x	x			x			
28	Santa Wrap	20	FX				FX			
28	Wrap Battle	19								
29	Wrap Battle 2	43		x	x	x	x	x	x	
30	Wrapping	21		x						
30	Wrap Battle 2	43								
30	Hanukkah	22		x	x	x	x	x		
35	Candlelight	23	FX	FX	FX	FX	FX	FX	FX	Santa, Mrs. C OS
35	Into Disney	24					x			
35	Be Our Guest	25	FX	FX	FX	FX	FX	FX	FX	Cam, Santa OS
36	Bruno	26				FX			FX	
36	You're Welcome	27	FX	FX	FX	FX	FX	FX	FX	
37	Let It Go	28			FX			FX	FX	
42	Under the Sea	29	FX	FX	FX	FX	FX	FX	FX	
43	Santa Bridge	14								
39	Frosty	30	x	x	x	x	x	x	x	
41	Frosty Sing	31	FX	FX	FX	FX	FX	FX	FX	
42	Frosty	30								
43	Frosty Sing	31								
44	Frosty	30								

Deck the Halls Scene List										
Florida Studio Theatre						Director: Caroline Saldivar				
Opening: Nov. 29, 2025						Sound Designer: Nicholas Ryan				
Page	Scene Name	Scene	Santa	Mrs. C	Jolly	Tinsel	Candy	Jingle	Jangle	Notes
45	Frosty Sing	31								
46	Peace Bridge	32	x	x	x	x	x	x	x	
52	Peace on Earth	33	FX	FX	FX	FX	FX	FX	FX	
53	Into Carols	34	x							
53	Deck the Halls	35	FX	FX	FX	FX	FX	FX	FX	
53	Feliz Navidad	36	FX	FX	FX	FX	FX	FX	FX	
53	Little Dreidel	37	FX	FX	FX	FX	FX	FX	FX	
54	Jingle Bells	38	FX	FX	FX	FX	FX	FX	FX	
54	Wish You	39	FX	FX	FX	FX	FX	FX	FX	
54	Have Yourself	40	FX	FX	FX	FX	FX	FX	FX	
56	Into Carols	34								
56	Jingle Bell Rock	41	FX	FX	FX	FX	FX	FX	FX	
56	Bows	42								
56	Preshow	1								
	Paradise All	44								
		47								
		48								
		49								
		50								
		51								
		52								
		53								
		54								
	QLab Mute	90								
	Outside Only	98								
	Loop Test	99								