

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(1)	E	13	Source 4 36deg 575w	Front Areas	☐ R114			
(2)	E	11	Source 4 36deg 575w	Front Areas	☐ R114			
(3)	E	9	Source 4 36deg 575w	Front Areas	☐ R114			
(4)	E	7	Source 4 36deg 575w	Front Areas	☐ R114			
(5)	E	5	Source 4 36deg 575w	Front Areas	☐ R114			
(6)	D	12	Source 4 36deg 575w	Front Areas	☐ R114			
(7)	D	10	Source 4 36deg 575w	Front Areas	☐ R114			
(8)	D	8	Source 4 36deg 575w	Front Areas	☐ R114			
(9)	D	5	Source 4 36deg 575w	Front Areas	☐ R114			
(10)	D	3	Source 4 36deg 575w	Front Areas	☐ R114			
(11)	C	15	Source 4 36deg 575w	Front Areas	☐ R114			
(12)	C	12	Source 4 36deg 575w	Front Areas	☐ R114			
(13)	C	9	Source 4 36deg 575w	Front Areas	☐ R114			
(14)	C	7	Source 4 36deg 575w	Front Areas	☐ R114			
(15)	C	4	Source 4 36deg 575w	Front Areas	☐ R114			
(16)	B	14	Source 4 36deg 575w	Front Areas	☐ R114			
(17)	B	11	Source 4 36deg 575w	Front Areas	☐ R114			

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(18)	B	8	Source 4 36deg 575w	Front Areas	 R114			
(19)	B	6	Source 4 36deg 575w	Front Areas	 R114			
(20)	B	3	Source 4 36deg 575w	Front Areas	 R114			
(31)	E	12	Source 4 36deg 575w	Specials	 R33, R114			
(32)	E	10	Source 4 50deg 575w	Specials	 R33, R114			
(33)	E	8	Source 4 36deg 575w	Specials	 R33, R114			
(34)	E	6	Source 4 36deg 575w	Specials	 R33, R114			
(35)	D	13	Source 4 36deg 575w	Specials	 R33, R114			
(36)	D	9	Source 4 36deg 575w	Specials	 R33, R114			
(37)	D	6	Source 4 36deg 575w	Specials	 R33, R114			
(38)	D	2	Source 4 36deg 575w	Specials	 R33, R114			
(39)	C	13	Source 4 36deg 575w	Specials	 R33, R114			
(40)	C	10	Source 4 36deg 575w	Specials	 R33, R114			
(41)	C	6	Source 4 36deg 575w	Specials	 R33, R114			
(42)	B	12	Source 4 575w	Specials	 R33, R114			
(43)	B	9	Source 4 36deg 575w	Specials	 R33, R114			
(44)	B	5	Source 4 575w	Specials	 R33, R114			

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(51)	HL	7	Source 4 50deg 575w	Sidelight	 R305, R114			
(52)	HL	9	Source 4 50deg 575w	Sidelight	 R305, R114			
(53)	C	17	Source 4 50deg 575w	Sidelight	 R305, R114			
(54)	B	15	Source 4 50deg 575w	Sidelight	 R305, R114			
(55)	A	8	Source 4 50deg 575w	Sidelight	 R305, R114			
(56)	HR	7	Source 4 50deg 575w	Sidelight	 R305, R114			
(57)	HR	9	Source 4 50deg 575w	Sidelight	 R305, R114			
(58)	C	1	Source 4 50deg 575w	Sidelight	 R60, R114			
(59)	B	1	Source 4 50deg 575w	Sidelight	 R305, R114			
(60)	A	2	Source 4 50deg 575w	Sidelight	 R305, R114			
(61)	HL	5	Source 4 50deg 575w	Sidelight	 R60, R114			
(62)	HL	8	Source 4 50deg 575w	Sidelight	 R60, R114			
(63)	C	18	Source 4 50deg 575w	Sidelight	 R60, R114			
(64)	B	16	Source 4 50deg 575w	Sidelight	 R60, R114			
(65)	A	9	Source 4 50deg 575w	Sidelight	 R60, R114			
(66)	HR	5	Source 4 50deg 575w	Sidelight	 R60, R114			
(67)	HR	8	Source 4 50deg 575w	Sidelight	 R60, R114			

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(68)	C	2	Source 4 50deg 575w	Sidelight	 R305, R114			
(69)	B	2	Source 4 50deg 575w	Sidelight	 R60, R114			
(70)	A	1	Source 4 50deg 575w	Sidelight	 R60, R114			
(71)	D	11	S4 PAR WFL 575w	Back PARS	 R06, R114			
(72)	D	7	S4 PAR WFL 575w	Back PARS	 R06, R114			
(73)	D	4	S4 PAR WFL 575w	Back PARS	 R06, R114			
(74)	C	14	S4 PAR WFL 575w	Back PARS	 R06, R114			
(75)	C	11	S4 PAR WFL 575w	Back PARS	 R06, R114			
(76)	C	8	S4 PAR WFL 575w	Back PARS	 R06, R114			
(77)	C	5	S4 PAR WFL 575w	Back PARS	 R06, R114			
(78)	B	13	S4 PAR WFL 575w	Back PARS	 R06, R114			
(79)	B	10	S4 PAR WFL 575w	Back PARS	 R06, R114			
(80)	B	7	S4 PAR WFL 575w	Back PARS	 R06, R114			
(81)	B	4	S4 PAR WFL 575w	Back PARS	 R06, R114			
(82)	A	7	S4 PAR WFL 575w	Back PARS	 R06, R114			
(83)	A	6	S4 PAR WFL 575w	Back PARS	 R06, R114			
(84)	A	4	S4 PAR WFL 575w	Back PARS	 R06, R114			

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(85)	A	3	S4 PAR WFL 575w	Back PARS	 R06, R114			
(86)	A	5	Source 4 50deg 575w	Back PARS	 R114			
(91)	E	15	Source 4 575w	GOBOs	 R21, T: G294			
(92)	E	2	Source 4 575w	GOBOs	 R21, T: G294			
(93)	E	16	Source 4 575w	GOBOs	 R64, T: R77785			
(94)	E	3	Source 4 575w	GOBOs	 R64, T: R77785			
(95)	C	16	Source 4 575w	GOBOs	 R60, T: R77719			
(96)	C	3	Source 4 575w	GOBOs	 R60, T: R77719			
(101)	HL	3	Source 4 36deg 575w	Toner & Gmoot	 R84, R114			
(102)	HL	2	Source 4 36deg 575w	Toner & Gmoot	 R26, R114			
(103)	HR	2	Source 4 36deg 575w	Toner & Gmoot	 R26, R114			
(104)	HR	3	Source 4 36deg 575w	Toner & Gmoot	 R84, R114			
(105)	HL	1	Source 4 26deg 575w	Toner & Gmoot	 R33, R114			
(106)	HR	1	Source 4 26deg 575w	Toner & Gmoot	 R33, R114			
(107)	HL	6	Source 4 36deg 575w	Toner & Gmoot	 R33, R114			
(108)	E	14	Source 4 36deg 575w	Toner & Gmoot	 R33, R114			

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(109)	E	4	Source 4 36deg 575w	Toner & Gmoot	 R33, R114			
(110)	HR	6	Source 4 36deg 575w	Toner & Gmoot	 R33, R114			
(111)	SR # 1	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(112)	SR # 2	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(113)	SR # 3	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(114)	SL # 1	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(115)	SL # 2	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(116)	SL # 3	1	ETC ColorSource Spot 26deg 160w	Tree Sides	 R114			
(121)	SR # 1	2	ChromaQ Color Force 12 120w	Sidelight				2/1
(122)	SR # 2	2	ChromaQ Color Force 12 120w	Sidelight				2/5
(123)	SR # 3	2	ChromaQ Color Force 12 120w	Sidelight				2/11
(124)	SL # 1	2	ChromaQ Color Force 12 120w	Sidelight				2/15
(125)	SL # 2	2	ChromaQ Color Force 12 120w	Sidelight				2/21
(126)	SL # 3	2	ChromaQ Color Force 12 120w	Sidelight				2/25
(131)	Groun d Row	1	Chroma Q Color Force 72 720w	Backdro p				1/501
	"	2	"	"				"
	"	3	"	"				"
	"	4	"	"				"

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(141)	House	1	Robe Spider 600w					1/101
(142)	E	17	Robe Spider 600w					1/115
(143)	E	1	Robe Spider 600w					1/131
(144)	CD SR	1	Robe Spider 600w					1/145
(145)	CD C	1	Robe Spider 600w					1/161
(146)	CD SL	1	Robe Spider 600w					1/175
(147)	BC SR	1	Robe Spider 600w					1/191
(148)	BC C	1	Robe Spider 600w					1/205
(149)	BC SL	1	Robe Spider 600w					1/221
(151)	AB SR	1	Robe Spider 600w					1/235
(152)	AB C	1	Robe Spider 600w					1/251
(153)	AB SL	1	Robe Spider 600w					1/265
(161)	HL	4	High End Systems SolaFrame 750 562w					1/301
(162)	HR	4	High End Systems SolaFrame 750 562w					1/351
(163)	D	14	High End Systems SolaFrame 750 562w					1/401
(164)	D	1	High End Systems SolaFrame 750 562w					1/451
(171)	Header 1 - DS	1	LED Tape RGB					
	"	"	USITT Practical					

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(174)	Head r 2 - MS	1	LED Tape RGB					
	"	"	USITT Practical					
(177)	Head r 3 - US	1	LED Tape RGB					
	"	"	USITT Practical					
(180)	Apron Floor	1	LED Tape RGB					
	"	"	USITT Practical					
(183)	Colum n DR	1	LED Tape RGB					
	"	"	USITT Practical					
(186)	Colum n MR	1	LED Tape RGB					
	Colum n Mid R	"	USITT Practical					
(189)	Colum n UR	1	LED Tape RGB					
	"	"	USITT Practical					
(192)	Colum n DL	1	LED Tape RGB					
	"	"	USITT Practical					
(195)	Colum n ML	1	LED Tape RGB					
	Colum n Mid L	"	USITT Practical					
(198)	Colum n UL	1	LED Tape RGB					
	"	"	USITT Practical					
(201)	Windo w R 1	1	LED Tape RGB					
(204)	Windo w R 2	1	LED Tape RGB					
(207)	Windo w R 3&4	1	LED Tape RGB					

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(210)	Wind ow L 1	1	LED Tape RGB					
(213)	Windo w L 2	1	LED Tape RGB					
(216)	Windo w L 3&4	1	LED Tape RGB					

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
							Lycian StarkLite Long Lens Follow Spot 1.2kW	Follow Spots	
							"	"	
	Ground Row			1	(131)	1/501	Chroma Q Color Force 72 720w	Backdrop	
	"			2	"	"	"	"	
	"			3	"	"	"	"	
	"			4	"	"	"	"	
A				1	(70)		Source 4 50deg 575w	Sidelight	 R60, R114
	"			2	(60)		"	"	 R305, R114
	"			3	(85)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			4	(84)		"	"	"
	"			5	(86)		Source 4 50deg 575w	"	 R114
	"			6	(83)		S4 PAR WFL 575w	"	 R06, R114
	"			7	(82)		"	"	"
	"			8	(55)		Source 4 50deg 575w	Sidelight	 R305, R114
	"			9	(65)		"	"	 R60, R114
B				1	(59)		"	"	 R305, R114
	"			2	(69)		"	"	 R60, R114
	"			3	(20)		Source 4 36deg 575w	Front Areas	 R114
	"			4	(81)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			5	(44)		Source 4 575w	Specials	 R33, R114

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	B			6	(19)		Source 4 36deg 575w	Front Areas	 R114
	"			7	(80)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			8	(18)		Source 4 36deg 575w	Front Areas	 R114
	"			9	(43)		"	Specials	 R33, R114
	"			10	(79)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			11	(17)		Source 4 36deg 575w	Front Areas	 R114
	"			12	(42)		Source 4 575w	Specials	 R33, R114
	"			13	(78)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			14	(16)		Source 4 36deg 575w	Front Areas	 R114
	"			15	(54)		Source 4 50deg 575w	Sidelight	 R305, R114
	"			16	(64)		"	"	 R60, R114
	C			1	(58)		"	"	"
	"			2	(68)		"	"	 R305, R114
	"			3	(96)		Source 4 575w	GOBOs	 R60, T: R77719
	"			4	(15)		Source 4 36deg 575w	Front Areas	 R114
	"			5	(77)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			6	(41)		Source 4 36deg 575w	Specials	 R33, R114
	"			7	(14)		"	Front Areas	 R114
	"			8	(76)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			9	(13)		Source 4 36deg 575w	Front Areas	 R114

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	C			10	(40)		Source 4 36deg 575w	Specials	 R33, R114
	"			11	(75)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			12	(12)		Source 4 36deg 575w	Front Areas	 R114
	"			13	(39)		"	Specials	 R33, R114
	"			14	(74)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			15	(11)		Source 4 36deg 575w	Front Areas	 R114
	"			16	(95)		Source 4 575w	GOBOs	 R60, T: R77719
	"			17	(53)		Source 4 50deg 575w	Sidelight	 R305, R114
	"			18	(63)		"	"	 R60, R114
D				1	(164)	1/451	High End Systems SolaFrame 750 562w		
	"			2	(38)		Source 4 36deg 575w	Specials	 R33, R114
	"			3	(10)		"	Front Areas	 R114
	"			4	(73)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			5	(9)		Source 4 36deg 575w	Front Areas	 R114
	"			6	(37)		"	Specials	 R33, R114
	"			7	(72)		S4 PAR WFL 575w	Back PARS	 R06, R114
	"			8	(8)		Source 4 36deg 575w	Front Areas	 R114
	"			9	(36)		"	Specials	 R33, R114
	"			10	(7)		"	Front Areas	 R114

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
D				11	(71)		S4 PAR WFL 575w	Back PARS	 R06, R114
"				12	(6)		Source 4 36deg 575w	Front Areas	 R114
"				13	(35)		"	Specials	 R33, R114
"				14	(163)	1/401	High End Systems SolaFrame 750 562w		
E				1	(143)	1/131	Robe Spiider 600w		
"				2	(92)		Source 4 575w	GOBOs	 R21, T: G294
"				3	(94)		"	"	 R64, T: R77785
"				4	(109)		Source 4 36deg 575w	Toner & Gmoot	 R33, R114
"				5	(5)		"	Front Areas	 R114
"				6	(34)		"	Specials	 R33, R114
"				7	(4)		"	Front Areas	 R114
"				8	(33)		"	Specials	 R33, R114
"				9	(3)		"	Front Areas	 R114
"				10	(32)		Source 4 50deg 575w	Specials	 R33, R114
"				11	(2)		Source 4 36deg 575w	Front Areas	 R114
"				12	(31)		"	Specials	 R33, R114
"				13	(1)		"	Front Areas	 R114
"				14	(108)		"	Toner & Gmoot	 R33, R114
"				15	(91)		Source 4 575w	GOBOs	 R21, T: G294
"				16	(93)		"	"	 R64, T: R77785

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	E			17	(142)	1/115	Robe Spider 600w		
	CD SL			1	(146)	1/175	"		
	AB SL			"	(153)	1/265	"		
	AB C			"	(152)	1/251	"		
	AB SR			"	(151)	1/235	"		
	BC SL			"	(149)	1/221	"		
	BC C			"	(148)	1/205	"		
	BC SR			"	(147)	1/191	"		
	CD C			"	(145)	1/161	"		
	CD SR			"	(144)	1/145	"		
	HL			"	(105)		Source 4 26deg 575w	Toner & Gmoot	 R33, R114
	"			2	(102)		Source 4 36deg 575w	"	 R26, R114
	"			3	(101)		"	"	 R84, R114
	"			4	(161)	1/301	High End Systems SolaFrame 750 562w		
	"			5	(61)		Source 4 50deg 575w	Sidelight	 R60, R114
	"			6	(107)		Source 4 36deg 575w	Toner & Gmoot	 R33, R114
	"			7	(51)		Source 4 50deg 575w	Sidelight	 R305, R114
	"			8	(62)		"	"	 R60, R114
	"			9	(52)		"	"	 R305, R114
	HR			1	(106)		Source 4 26deg 575w	Toner & Gmoot	 R33, R114
	"			2	(103)		Source 4 36deg 575w	"	 R26, R114

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	HR			3	(104)		Source 4 36deg 575w	Toner & Gmoot	 R84, R114
	"			4	(162)	1/351	High End Systems SolaFrame 750 562w		
	"			5	(66)		Source 4 50deg 575w	Sidelight	 R60, R114
	"			6	(110)		Source 4 36deg 575w	Toner & Gmoot	 R33, R114
	"			7	(56)		Source 4 50deg 575w	Sidelight	 R305, R114
	"			8	(67)		"	"	 R60, R114
	"			9	(57)		"	"	 R305, R114
	House			1	(141)	1/101	Robe Spider 600w		
	Header 1 - DS			"	(171)		LED Tape RGB		
	"			"	"		USITT Practical		
	Header 2 - MS			"	(174)		LED Tape RGB		
	"			"	"		USITT Practical		
	Header 3 - US			"	(177)		LED Tape RGB		
	"			"	"		USITT Practical		
	Apron Floor			"	(180)		LED Tape RGB		
	"			"	"		USITT Practical		
	Column DR			"	(183)		LED Tape RGB		
	"			"	"		USITT Practical		
	Column MR			"	(186)		LED Tape RGB		

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	Column UR			1	(189)		LED Tape RGB		
	"			"	"		USITT Practical		
	Column DL			"	(192)		LED Tape RGB		
	"			"	"		USITT Practical		
	Column ML			"	(195)		LED Tape RGB		
	Column UL			"	(198)		"		
	"			"	"		USITT Practical		
	Window R 1			"	(201)		LED Tape RGB		
	Window R 2			"	(204)		"		
	Window R 3&4			"	(207)		"		
	Window L 1			"	(210)		"		
	Window L 2			"	(213)		"		
	Window L 3&4			"	(216)		"		
	Column Mid L			"	(195)		USITT Practical		
	SR #3			"	(113)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(123)	2/11	ChromaQ Color Force 12 120w	Sidelight	
	SR #2			1	(112)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(122)	2/5	ChromaQ Color Force 12 120w	Sidelight	

Dim	Pos	U1	C#	U#	Chan	Addr	Inst Type & Access & Load	Purpose	Clr & Gbo
	SR #1			1	(111)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(121)	2/1	ChromaQ Color Force 12 120w	Sidelight	
	SL #3			1	(116)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(126)	2/25	ChromaQ Color Force 12 120w	Sidelight	
	SL #2			1	(115)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(125)	2/21	ChromaQ Color Force 12 120w	Sidelight	
	SL #1			1	(114)		ETC ColorSource Spot 26deg 160w	Tree Sides	☐ R114
	"			2	(124)	2/15	ChromaQ Color Force 12 120w	Sidelight	
	Column Mid R			1	(186)		USITT Practical		

TABLE OF CONTENTS

Ground Row	1	Apron Floor	9
A	1	Column DR	9
B	2	Column MR	9
C	3	Column UR	9
D	4	Column DL	9
E	5	Column ML	10
CD SL	5	Column UL	10
AB SL	6	Window R 1	10
AB C	6	Window R 2	10
AB SR	6	Window R 3&4	10
BC SL	6	Window L 1	10
BC C	6	Window L 2	10
BC SR	6	Window L 3&4	11
CD C	6	Column Mid L	11
CD SR	6	SR #3	11
HL	7	SR #2	11
HR	8	SR #1	11
House	8	SL #3	11
Header 1 - DS	8	SL #2	12
Header 2 - MS	8	SL #1	12
Header 3 - US	9	Column Mid R	12

Ground Row

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Backdrop		Chroma Q Color Force 72	720w		(131)	1/501		
2	Backdrop		Chroma Q Color Force 72	720w		(131)	1/501		
3	Backdrop		Chroma Q Color Force 72	720w		(131)	1/501		
4	Backdrop		Chroma Q Color Force 72	720w		(131)	1/501		

A

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Sidelight		Source 4 50deg	575w	 R60, R114	(70)			
2	Sidelight		Source 4 50deg	575w	 R305, R114	(60)			
3	Back PARS		S4 PAR WFL	575w	 R06, R114	(85)			
4	Back PARS		S4 PAR WFL	575w	 R06, R114	(84)			
5	Back PARS		Source 4 50deg	575w	 R114	(86)			
6	Back PARS		S4 PAR WFL	575w	 R06, R114	(83)			
7	Back PARS		S4 PAR WFL	575w	 R06, R114	(82)			
8	Sidelight		Source 4 50deg	575w	 R305, R114	(55)			
9	Sidelight		Source 4 50deg	575w	 R60, R114	(65)			

B

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Sidelight		Source 4 50deg	575w	 R305, R114	(59)			
2	Sidelight		Source 4 50deg	575w	 R60, R114	(69)			
3	Front Areas		Source 4 36deg	575w	 R114	(20)			
4	Back PARS		S4 PAR WFL	575w	 R06, R114	(81)			
5	Specials		Source 4	575w	 R33, R114	(44)			
6	Front Areas		Source 4 36deg	575w	 R114	(19)			
7	Back PARS		S4 PAR WFL	575w	 R06, R114	(80)			
8	Front Areas		Source 4 36deg	575w	 R114	(18)			
9	Specials		Source 4 36deg	575w	 R33, R114	(43)			
10	Back PARS		S4 PAR WFL	575w	 R06, R114	(79)			
11	Front Areas		Source 4 36deg	575w	 R114	(17)			
12	Specials		Source 4	575w	 R33, R114	(42)			
13	Back PARS		S4 PAR WFL	575w	 R06, R114	(78)			
14	Front Areas		Source 4 36deg	575w	 R114	(16)			
15	Sidelight		Source 4 50deg	575w	 R305, R114	(54)			
16	Sidelight		Source 4 50deg	575w	 R60, R114	(64)			

C

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Sidelight		Source 4 50deg	575w	 R60, R114	(58)			
2	Sidelight		Source 4 50deg	575w	 R305, R114	(68)			
3	GOBOs		Source 4	575w	 R60, T: R77719	(96)			
4	Front Areas		Source 4 36deg	575w	 R114	(15)			
5	Back PARS		S4 PAR WFL	575w	 R06, R114	(77)			
6	Specials		Source 4 36deg	575w	 R33, R114	(41)			
7	Front Areas		Source 4 36deg	575w	 R114	(14)			
8	Back PARS		S4 PAR WFL	575w	 R06, R114	(76)			
9	Front Areas		Source 4 36deg	575w	 R114	(13)			
10	Specials		Source 4 36deg	575w	 R33, R114	(40)			
11	Back PARS		S4 PAR WFL	575w	 R06, R114	(75)			
12	Front Areas		Source 4 36deg	575w	 R114	(12)			
13	Specials		Source 4 36deg	575w	 R33, R114	(39)			
14	Back PARS		S4 PAR WFL	575w	 R06, R114	(74)			
15	Front Areas		Source 4 36deg	575w	 R114	(11)			
16	GOBOs		Source 4	575w	 R60, T: R77719	(95)			
17	Sidelight		Source 4 50deg	575w	 R305, R114	(53)			
18	Sidelight		Source 4 50deg	575w	 R60, R114	(63)			

D

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			High End Systems SolaFrame 750	562w		(164)	1/451		
2	Specials		Source 4 36deg	575w	 R33, R114	(38)			
3	Front Areas		Source 4 36deg	575w	 R114	(10)			
4	Back PARS		S4 PAR WFL	575w	 R06, R114	(73)			
5	Front Areas		Source 4 36deg	575w	 R114	(9)			
6	Specials		Source 4 36deg	575w	 R33, R114	(37)			
7	Back PARS		S4 PAR WFL	575w	 R06, R114	(72)			
8	Front Areas		Source 4 36deg	575w	 R114	(8)			
9	Specials		Source 4 36deg	575w	 R33, R114	(36)			
10	Front Areas		Source 4 36deg	575w	 R114	(7)			
11	Back PARS		S4 PAR WFL	575w	 R06, R114	(71)			
12	Front Areas		Source 4 36deg	575w	 R114	(6)			
13	Specials		Source 4 36deg	575w	 R33, R114	(35)			
14			High End Systems SolaFrame 750	562w		(163)	1/401		

E

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(143)	1/131		
2	GOBOs		Source 4	575w	 R21, T: G294	(92)			
3	GOBOs		Source 4	575w	 R64, T: R77785	(94)			
4	Toner & Gmoot		Source 4 36deg	575w	 R33, R114	(109)			
5	Front Areas		Source 4 36deg	575w	 R114	(5)			
6	Specials		Source 4 36deg	575w	 R33, R114	(34)			
7	Front Areas		Source 4 36deg	575w	 R114	(4)			
8	Specials		Source 4 36deg	575w	 R33, R114	(33)			
9	Front Areas		Source 4 36deg	575w	 R114	(3)			
10	Specials		Source 4 50deg	575w	 R33, R114	(32)			
11	Front Areas		Source 4 36deg	575w	 R114	(2)			
12	Specials		Source 4 36deg	575w	 R33, R114	(31)			
13	Front Areas		Source 4 36deg	575w	 R114	(1)			
14	Toner & Gmoot		Source 4 36deg	575w	 R33, R114	(108)			
15	GOBOs		Source 4	575w	 R21, T: G294	(91)			
16	GOBOs		Source 4	575w	 R64, T: R77785	(93)			
17			Robe Spider	600w		(142)	1/115		

CD SL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(146)	1/175		

AB SL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(153)	1/265		

AB C

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(152)	1/251		

AB SR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(151)	1/235		

BC SL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(149)	1/221		

BC C

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(148)	1/205		

BC SR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(147)	1/191		

CD C

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(145)	1/161		

CD SR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spider	600w		(144)	1/145		

HL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Toner & Gmoot		Source 4 26deg	575w	 R33, R114	(105)			
2	Toner & Gmoot		Source 4 36deg	575w	 R26, R114	(102)			
3	Toner & Gmoot		Source 4 36deg	575w	 R84, R114	(101)			
4			High End Systems SolaFrame 750	562w		(161)	1/301		
5	Sidelight		Source 4 50deg	575w	 R60, R114	(61)			
6	Toner & Gmoot		Source 4 36deg	575w	 R33, R114	(107)			
7	Sidelight		Source 4 50deg	575w	 R305, R114	(51)			
8	Sidelight		Source 4 50deg	575w	 R60, R114	(62)			
9	Sidelight		Source 4 50deg	575w	 R305, R114	(52)			

HR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Toner & Gmoot		Source 4 26deg	575w	 R33, R114	(106)			
2	Toner & Gmoot		Source 4 36deg	575w	 R26, R114	(103)			
3	Toner & Gmoot		Source 4 36deg	575w	 R84, R114	(104)			
4			High End Systems SolaFrame 750	562w		(162)	1/351		
5	Sidelight		Source 4 50deg	575w	 R60, R114	(66)			
6	Toner & Gmoot		Source 4 36deg	575w	 R33, R114	(110)			
7	Sidelight		Source 4 50deg	575w	 R305, R114	(56)			
8	Sidelight		Source 4 50deg	575w	 R60, R114	(67)			
9	Sidelight		Source 4 50deg	575w	 R305, R114	(57)			

House

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			Robe Spiider	600w		(141)	1/101		

Header 1 - DS

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(171)			
1			USITT Practical			(171)			

Header 2 - MS

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(174)			
1			USITT Practical			(174)			

Header 3 - US

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(177)			
1			USITT Practical			(177)			

Apron Floor

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(180)			
1			USITT Practical			(180)			

Column DR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(183)			
1			USITT Practical			(183)			

Column MR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(186)			

Column UR

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(189)			
1			USITT Practical			(189)			

Column DL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(192)			
1			USITT Practical			(192)			

Column ML

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(195)			

Column UL

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(198)			
1			USITT Practical			(198)			

Window R 1

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(201)			

Window R 2

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(204)			

Window R 3&4

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(207)			

Window L 1

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(210)			

Window L 2

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(213)			

Window L 3&4

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			LED Tape RGB			(216)			

Column Mid L

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			USITT Practical			(195)			

SR #3

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(113)			
2	Sidelight		ChromaQ Color Force 12	120w		(123)	2/11		

SR #2

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(112)			
2	Sidelight		ChromaQ Color Force 12	120w		(122)	2/5		

SR #1

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(111)			
2	Sidelight		ChromaQ Color Force 12	120w		(121)	2/1		

SL #3

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(116)			
2	Sidelight		ChromaQ Color Force 12	120w		(126)	2/25		

SL #2

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(115)			
2	Sidelight		ChromaQ Color Force 12	120w		(125)	2/21		

SL #1

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1	Tree Sides		ETC ColorSource Spot 26deg	160w	 R114	(114)			
2	Sidelight		ChromaQ Color Force 12	120w		(124)	2/15		

Column Mid R

U#	Purpose	U1	Inst Type & Access	Load	Clr & Gbo	Chan	Addr	Dm	C#
1			USITT Practical			(186)			