

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(1)	FOH Center	11	Source 4 26 575w				10	
(2)	FOH Center	8	Source 4 26 575w				12	
(3)	FOH Center	4	Source 4 26 575w				14	
(4)	A3	8	Source 4 36 575w				110	
(5)	A3	4	Source 4 36 575w				27	1/27
	A3	6	Source 4 36 575w				27	1/27
(6)	A3	2	Source 4 36 575w				29	
(7)	C	12	Source 4 36 575w				50b	
(8)	C	9	Source 4 36 575w				37b	
(10)	C	6	Source 4 36 575w				46	
(11)	C	4	Source 4 36 575w				47	
(12)	C	1	Source 4 36 575w				41b	
(13)	D	10	Source 4 36 575w				57b	
(14)	D	5	Source 4 36 575w				54	
	D	7	Source 4 36 575w				54b	
(15)	D	2	Source 4 36 575w				52b	
(21)	B	4	SlimPAR Pro USB				35	2/91
(22)	G	1	SlimPAR Pro USB				35	2/265
(23)	B	1	SlimPAR Pro USB				35	2/79
(24)	C	11	SlimPAR Pro USB				36b	2/157
(25)	C	8	SlimPAR Pro USB				36b	2/139
(26)	C	5	SlimPAR Pro USB				36b	2/121
(27)	C	2	SlimPAR Pro USB				36b	2/103
(28)	D	11	SlimPAR Pro USB				109	2/229

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(29)	D	9	SlimPAR Pro USB				109	2/217
(30)	D	6	SlimPAR Pro USB				109	2/205
(31)	D	3	SlimPAR Pro USB				33b	2/193
(32)	D	1	SlimPAR Pro USB				33b	2/181
(33)	2ND ELEC	6	SlimPAR Pro USB				59	3/441
(34)	2ND ELEC	5	SlimPAR Pro USB				59	3/453
(35)	2ND ELEC	4	SlimPAR Pro USB				59	3/465
(36)	2ND ELEC	3	SlimPAR Pro USB				64	3/477
(37)	2ND ELEC	2	SlimPAR Pro USB				64	3/489
(38)	5TH ELEC	3	SlimPAR Pro USB				66	3/411
(39)	5TH ELEC	2	SlimPAR Pro USB				66	3/399
(40)	5TH ELEC	1	SlimPAR Pro USB				66	3/387
(41)	A4	2	SlimPAR Pro USB				30b	2/55
(42)	A2	2	SlimPAR Pro USB				30b	2/13
(43)	A5	1	SlimPAR Pro USB				109	2/67
(44)	A1	1	SlimPAR Pro USB				33b	2/1
(45)	I	1	SlimPAR Pro USB				109	2/253
(46)	E	1	SlimPAR Pro USB				33b	2/241
(47)	2ND ELEC	7	SlimPAR Pro USB				59	3/429
(48)	2ND ELEC	1	SlimPAR Pro USB				64	3/501

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(51)	FOH Left 2	3	ColorSource JR DB				1	3/19
(52)	A4	3	ColorSource JR DB				30b	2/49
(53)	A2	3	ColorSource JR DB				30b	2/25
(54)	FOH Right 2	3	ColorSource JR DB				24	4/43
(55)	FOH Left 2	2	ColorSource JR DB				1	2/307
(56)	I	2	ColorSource JR DB				109	2/175
(57)	E	2	ColorSource JR DB				33b	2/169
(58)	FOH Right 2	2	ColorSource JR DB				24	4/49
(59)	#9	1	ColorSource JR DB				59	3/25
(60)	#1	1	ColorSource JR DB				64	3/423
(61)	FOH Center	10	ColorSource 26				15	4/1
(62)	FOH Center	7	ColorSource 26				15	4/7
(63)	FOH Center	3	ColorSource 26				15	4/19
(64)	A3	9	ColorSource JR DB				30b	2/43
(65)	A3	5	ColorSource JR DB				30b	2/37
(66)	A3	1	ColorSource JR DB				30b	2/31
(67)	C	10	ColorSource JR DB				36b	2/151
(68)	C	7	ColorSource JR DB				36b	2/133
(69)	C	3	ColorSource JR DB				36b	2/115
(71)	A4	1	Source 4 36 575w	SR Wing			40b	
(72)	A4	4	Source 4 36 575w	Top of stairs SR			26	
(73)	A4	5	Source 4 36 575w	SR			25	
(74)	A3	7	Source 4 36 575w	SRC			48b	

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(75)	A3	3	Source 4 36 575w	SL			43b	
(76)	A2	4	Source 4 26 575w	Top of stairs SL			111	
(77)	A2	1	Source 4 36 575w	SL Wing			31b	
(78)	C1	2	Source 4 36 575w	SR Stair			44	
(79)	D	8	Source 4 26 575w	SR Stairs landing			53	
(80)	C1	1	Source 4 36 575w	SL Stair			34b	
(81)	D	4	Source 4 26 575w	SL Stairs landing			55b	
(82)	1ST ELEC	1	Source 4 26 575w	Upper Level			60b	
	1ST ELEC	2	Source 4 26 575w	Upper Level			60	
(91)	FOH Left 1	1	Source 4 36 575w	SR Aisle			5	
(92)	Ange I HL	2	Source 4 26 575w				8	
(93)	FOH Center	9	Source 4 26 575w	SR Pit			11	
(94)	FOH Center	5	Source 4 26 575w	CTR Put			13	
(95)	FOH Center	2	Source 4 26 575w	SL Pit			16	
(96)	Ange I HR	2	Source 4 26 575w				17	
(97)	FOH Rlght 1	4	Source 4 36 575w	SL Aisle			19	
(102)	B	3	Source 4 36 575w	SR Aisle			49b	
(106)	B	2	Source 4 26 575w	SL Aisle			42b	
(111)	FOH Left 1	4	ColorSource 26				6	3/13
(112)	FOH Left 1	3	ColorSource 36	SR Wing			6	3/7

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(115)	FOH Right 1	2	ColorSource 26	SL Wing			19	4/31
(116)	FOH Right 1	1	ColorSource 26				19	4/37
(200)	FOH Center	1	SR PAR WFL	House Light	 R99+ R100		103	1/103
	FOH Center	12	SR PAR WFL	House Light	 R99+ R100		102	1/102
	FOH Right 2	4	SR PAR WFL	House Light	 R99+ R100		106	1/106
	FOH Left 2	4	SR PAR WFL	House Light	 R99+ R100		97	1/97
	FOH Right 1	3	SR PAR WFL	House Light	 R99+ R100		106	1/106
	FOH Center Rear	1	SR PAR WFL	House Light	 R99+ R100		103	1/103
	FOH Center Rear	2	SR PAR WFL	House Light	 R99+ R100		102	1/102
	FOH Righ Rear	1	SR PAR WFL	House Light	 R99+ R100		106	1/106
	FOH Left Rear	1	SR PAR WFL	House Light	 R99+ R100		100	1/100
(211)	6TH ELEC	H1	COLORado Batten 72X				65	3/344
(212)	6TH ELEC	G1	COLORado Batten 72X				65	3/301
(213)	6TH ELEC	F1	COLORado Batten 72X				65	3/258
(214)	6TH ELEC	E1	COLORado Batten 72X				65	3/215
(215)	6TH ELEC	D1	COLORado Batten 72X				65	3/172
(216)	6TH ELEC	C1	COLORado Batten 72X				65	3/129

Chan	Pos	U#	Instrument Type & Load	Purp	Clr & Gbo	Dim	Cir#	Addr
(217)	6TH ELEC	B1	COLORado Batten 72X				65	3/86
(218)	6TH ELEC	A1	COLORado Batten 72X				65	3/43
(	FOH Center	6	ColorSource 50				15	4/13
	FOH Center	6.1	Gobo Rotator				15	4/67
	FOH Right 2	1	SlimPAR Pro USB				24	4/55
	FOH Left 2	1	SlimPAR Pro USB				1	3/31
	Ange I HR	1	Source 4 19 575w				18	
	Ange I HR	3	ColorSource 26				20	4/25
	Ange I HL	1	ColorSource 36				4	3/1
	Ange I HL	3	Source 4 19 575w				7	
	Apro n	1	RGB LED Tape				W	2/283
	Apro n	2	RGB LED Tape				W	2/286
	Light Box	1	RGB LED Tape				W	2/289
	Light Box	2	RGB LED Tape				W	2/292
	SL Steps	1	RGB LED Tape				W	2/295
	SL Steps	2	RGB LED Tape				W	2/298
	SR Steps	1	RGB LED Tape				W	2/301
	SR Steps	2	RGB LED Tape				W	2/304

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
1/27	(5)	A3	4	Source 4 36 575w		
	"	"	6	"		
1/97	(200)	FOH Left 2	4	SR PAR WFL	House Light	 R99+R100
1/100	(200)	FOH Left Rear	1	SR PAR WFL	House Light	 R99+R100
1/102	(200)	FOH Center	12	SR PAR WFL	House Light	 R99+R100
	"	FOH Center Rear	2	"	"	"
1/103	(200)	FOH Center	1	SR PAR WFL	House Light	 R99+R100
	"	FOH Center Rear	"	"	"	"
1/106	(200)	FOH Right 2	4	SR PAR WFL	House Light	 R99+R100
	"	FOH Right 1	3	"	"	"
	"	FOH Righ Rear	1	"	"	"
2/1	(44)	A1	1	SlimPAR Pro USB		
2/13	(42)	A2	2	SlimPAR Pro USB		
2/25	(53)	A2	3	ColorSource JR DB		
2/31	(66)	A3	1	ColorSource JR DB		
2/37	(65)	A3	5	ColorSource JR DB		
2/43	(64)	A3	9	ColorSource JR DB		
2/49	(52)	A4	3	ColorSource JR DB		
2/55	(41)	A4	2	SlimPAR Pro USB		
2/67	(43)	A5	1	SlimPAR Pro USB		
2/79	(23)	B	1	SlimPAR Pro USB		

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
2/91	(21)	B	4	SlimPAR Pro USB		
2/103	(27)	C	2	SlimPAR Pro USB		
2/115	(69)	C	3	ColorSource JR DB		
2/121	(26)	C	5	SlimPAR Pro USB		
2/133	(68)	C	7	ColorSource JR DB		
2/139	(25)	C	8	SlimPAR Pro USB		
2/151	(67)	C	10	ColorSource JR DB		
2/157	(24)	C	11	SlimPAR Pro USB		
2/169	(57)	E	2	ColorSource JR DB		
2/175	(56)	I	2	ColorSource JR DB		
2/181	(32)	D	1	SlimPAR Pro USB		
2/193	(31)	D	3	SlimPAR Pro USB		
2/205	(30)	D	6	SlimPAR Pro USB		
2/217	(29)	D	9	SlimPAR Pro USB		
2/229	(28)	D	11	SlimPAR Pro USB		
2/241	(46)	E	1	SlimPAR Pro USB		
2/253	(45)	I	1	SlimPAR Pro USB		
2/265	(22)	G	1	SlimPAR Pro USB		
2/283	(1000)	Apron	1	RGB LED Tape		
2/286	(1000)	Apron	2	RGB LED Tape		
2/289	(1000)	Light Box	1	RGB LED Tape		
2/292	(1000)	Light Box	2	RGB LED Tape		
2/295	(1000)	SL Steps	1	RGB LED Tape		
2/298	(1000)	SL Steps	2	RGB LED Tape		
2/301	(1000)	SR Steps	1	RGB LED Tape		

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
2/304	(1000)	SR Steps	2	RGB LED Tape		
2/307	(55)	FOH Left 2	2	ColorSource JR DB		
3/1	(1000)	Angel HL	1	ColorSource 36		
3/7	(112)	FOH Left 1	3	ColorSource 36	SR Wing	
3/13	(111)	FOH Left 1	4	ColorSource 26		
3/19	(51)	FOH Left 2	3	ColorSource JR DB		
3/25	(59)	#9	1	ColorSource JR DB		
3/31	(1000)	FOH Left 2	1	SlimPAR Pro USB		
3/43	(218)	6TH ELEC	A1	COLORado Batten 72X		
3/86	(217)	6TH ELEC	B1	COLORado Batten 72X		
3/129	(216)	6TH ELEC	C1	COLORado Batten 72X		
3/172	(215)	6TH ELEC	D1	COLORado Batten 72X		
3/215	(214)	6TH ELEC	E1	COLORado Batten 72X		
3/258	(213)	6TH ELEC	F1	COLORado Batten 72X		
3/301	(212)	6TH ELEC	G1	COLORado Batten 72X		
3/344	(211)	6TH ELEC	H1	COLORado Batten 72X		
3/387	(40)	5TH ELEC	1	SlimPAR Pro USB		
3/399	(39)	5TH ELEC	2	SlimPAR Pro USB		

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
3/411	(38)	5TH ELEC	3	SlimPAR Pro USB		
3/423	(60)	#1	1	ColorSource JR DB		
3/429	(47)	2ND ELEC	7	SlimPAR Pro USB		
3/441	(33)	2ND ELEC	6	SlimPAR Pro USB		
3/453	(34)	2ND ELEC	5	SlimPAR Pro USB		
3/465	(35)	2ND ELEC	4	SlimPAR Pro USB		
3/477	(36)	2ND ELEC	3	SlimPAR Pro USB		
3/489	(37)	2ND ELEC	2	SlimPAR Pro USB		
3/501	(48)	2ND ELEC	1	SlimPAR Pro USB		
4/1	(61)	FOH Center	10	ColorSource 26		
4/7	(62)	FOH Center	7	ColorSource 26		
4/13	(1000)	FOH Center	6	ColorSource 50		
4/19	(63)	FOH Center	3	ColorSource 26		
4/25	(1000)	Angel HR	3	ColorSource 26		
4/31	(115)	FOH Right 1	2	ColorSource 26	SL Wing	
4/37	(116)	FOH Right 1	1	ColorSource 26		
4/43	(54)	FOH Right 2	3	ColorSource JR DB		

Address	Chan	Position	U#	Type & Acc & Load	Purpose	Color & Gobo
4/49	(58)	FOH Right 2	2	ColorSource JR DB		
4/55	(1000)	FOH Right 2	1	SlimPAR Pro USB		
4/67	(1000)	FOH Center	6.1	Gobo Rotator		

TABLE OF CONTENTS

FOH Center	1	A5	6
A3	1	A1	6
C	2	I	6
D	3	E	7
FOH Right 2	3	#9	7
FOH Left 2	3	#1	7
FOH Right 1	4	C1	7
Angel HR	4	1ST ELEC	7
FOH Left 1	4	FOH Center Rear	7
Angel HL	4	FOH Righ Rear	7
B	5	FOH Left Rear	8
G	5	6TH ELEC	8
2ND ELEC	5	Apron	8
5TH ELEC	5	Light Box	8
A4	6	SL Steps	8
A2	6	SR Steps	9

FOH Center

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	House Light		SR PAR WFL		 R99+R100	(200)	1/103		103
2	SL Pit		Source 4 26 575w			(95)			16
3			ColorSource 26			(63)	4/19		15
4			Source 4 26 575w			(3)			14
5	CTR Put		Source 4 26 575w			(94)			13
6			ColorSource 50			(1000)	4/13		15
6.1			Gobo Rotator			(1000)	4/67		15
7			ColorSource 26			(62)	4/7		15
8			Source 4 26 575w			(2)			12
9	SR Pit		Source 4 26 575w			(93)			11
10			ColorSource 26			(61)	4/1		15
11			Source 4 26 575w			(1)			10
12	House Light		SR PAR WFL		 R99+R100	(200)	1/102		102

A3

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			ColorSource JR DB			(66)	2/31		30b
2			Source 4 36 575w			(6)			29
3	SL		Source 4 36 575w			(75)			43b
4			Source 4 36 575w			(5)	1/27		27
5			ColorSource JR DB			(65)	2/37		30b
6			Source 4 36 575w			(5)	1/27		27
7	SRC		Source 4 36 575w			(74)			48b
8			Source 4 36 575w			(4)			110
9			ColorSource JR DB			(64)	2/43		30b

C

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			Source 4 36 575w			(12)			41b
2			SlimPAR Pro USB			(27)	2/103		36b
3			ColorSource JR DB			(69)	2/115		36b
4			Source 4 36 575w			(11)			47
5			SlimPAR Pro USB			(26)	2/121		36b
6			Source 4 36 575w			(10)			46
7			ColorSource JR DB			(68)	2/133		36b
8			SlimPAR Pro USB			(25)	2/139		36b
9			Source 4 36 575w			(8)			37b
10			ColorSource JR DB			(67)	2/151		36b
11			SlimPAR Pro USB			(24)	2/157		36b
12			Source 4 36 575w			(7)			50b

D

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(32)	2/181		33b
2			Source 4 36 575w			(15)			52b
3			SlimPAR Pro USB			(31)	2/193		33b
4	SL Stairs landing		Source 4 26 575w			(81)			55b
5			Source 4 36 575w			(14)			54
6			SlimPAR Pro USB			(30)	2/205		109
7			Source 4 36 575w			(14)			54b
8	SR Stairs landing		Source 4 26 575w			(79)			53
9			SlimPAR Pro USB			(29)	2/217		109
10			Source 4 36 575w			(13)			57b
11			SlimPAR Pro USB			(28)	2/229		109

FOH Right 2

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(1000)	4/55		24
2			ColorSource JR DB			(58)	4/49		24
3			ColorSource JR DB			(54)	4/43		24
4	House Light		SR PAR WFL		 R99+R100	(200)	1/106		106

FOH Left 2

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(1000)	3/31		1
2			ColorSource JR DB			(55)	2/307		1
3			ColorSource JR DB			(51)	3/19		1
4	House Light		SR PAR WFL		 R99+R100	(200)	1/97		97

FOH Right 1

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			ColorSource 26			(116)	4/37		19
2	SL Wing		ColorSource 26			(115)	4/31		19
3	House Light		SR PAR WFL		 R99+R100	(200)	1/106		106
4	SL Aisle		Source 4 36 575w			(97)			19

Angel HR

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			Source 4 19 575w			(1000)			18
2			Source 4 26 575w			(96)			17
3			ColorSource 26			(1000)	4/25		20

FOH Left 1

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	SR Aisle		Source 4 36 575w			(91)			5
3	SR Wing		ColorSource 36			(112)	3/7		6
4			ColorSource 26			(111)	3/13		6

Angel HL

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			ColorSource 36			(1000)	3/1		4
2			Source 4 26 575w			(92)			8
3			Source 4 19 575w			(1000)			7

B

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(23)	2/79		35
2	SL Aisle		Source 4 26 575w			(106)			42b
3	SR Aisle		Source 4 36 575w			(102)			49b
4			SlimPAR Pro USB			(21)	2/91		35

G

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(22)	2/265		35

2ND ELEC

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(48)	3/501		64
2			SlimPAR Pro USB			(37)	3/489		64
3			SlimPAR Pro USB			(36)	3/477		64
4			SlimPAR Pro USB			(35)	3/465		59
5			SlimPAR Pro USB			(34)	3/453		59
6			SlimPAR Pro USB			(33)	3/441		59
7			SlimPAR Pro USB			(47)	3/429		59

5TH ELEC

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(40)	3/387		66
2			SlimPAR Pro USB			(39)	3/399		66
3			SlimPAR Pro USB			(38)	3/411		66

A4

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	SR Wing		Source 4 36 575w			(71)			40b
2			SlimPAR Pro USB			(41)	2/55		30b
3			ColorSource JR DB			(52)	2/49		30b
4	Top of stairs SR		Source 4 36 575w			(72)			26
5	SR		Source 4 36 575w			(73)			25

A2

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	SL Wing		Source 4 36 575w			(77)			31b
2			SlimPAR Pro USB			(42)	2/13		30b
3			ColorSource JR DB			(53)	2/25		30b
4	Top of stairs SL		Source 4 26 575w			(76)			111

A5

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(43)	2/67		109

A1

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(44)	2/1		33b

I

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(45)	2/253		109
2			ColorSource JR DB			(56)	2/175		109

E

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			SlimPAR Pro USB			(46)	2/241		33b
2			ColorSource JR DB			(57)	2/169		33b

#9

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			ColorSource JR DB			(59)	3/25		59

#1

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			ColorSource JR DB			(60)	3/423		64

C1

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	SL Stair		Source 4 36 575w			(80)			34b
2	SR Stair		Source 4 36 575w			(78)			44

1ST ELEC

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	Upper Level		Source 4 26 575w			(82)			60b
2	Upper Level		Source 4 26 575w			(82)			60

FOH Center Rear

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	House Light		SR PAR WFL		 R99+R100	(200)	1/103		103
2	House Light		SR PAR WFL		 R99+R100	(200)	1/102		102

FOH Righ Rear

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	House Light		SR PAR WFL		 R99+R100	(200)	1/106		106

FOH Left Rear

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1	House Light		SR PAR WFL		 R99+R100	(200)	1/100		100

6TH ELEC

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
A1			COLORado Batten 72X			(218)	3/43		65
B1			COLORado Batten 72X			(217)	3/86		65
C1			COLORado Batten 72X			(216)	3/129		65
D1			COLORado Batten 72X			(215)	3/172		65
E1			COLORado Batten 72X			(214)	3/215		65
F1			COLORado Batten 72X			(213)	3/258		65
G1			COLORado Batten 72X			(212)	3/301		65
H1			COLORado Batten 72X			(211)	3/344		65

Apron

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			RGB LED Tape			(1000)	2/283		W
2			RGB LED Tape			(1000)	2/286		W

Light Box

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			RGB LED Tape			(1000)	2/289		W
2			RGB LED Tape			(1000)	2/292		W

SL Steps

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			RGB LED Tape			(1000)	2/295		W
2			RGB LED Tape			(1000)	2/298		W

SR Steps

U#	Purpose	U1	Inst Type & Access	Loa	Color & Gobo	Chan	Addr	Dm	Cir#
1			RGB LED Tape			(1000)	2/301		W
2			RGB LED Tape			(1000)	2/304		W

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
1		3/31	(1000)	FOH Left 2	1	SlimPAR Pro USB		
		2/307	(55)	"	2	ColorSource JR DB		
		3/19	(51)	"	3	"		
2								
3								
4		3/1	(1000)	Angel HL	1	ColorSource 36		
5			(91)	FOH Left 1	1	Source 4 36 575w		SR Aisle
6		3/7	(112)	FOH Left 1	3	ColorSource 36		SR Wing
		3/13	(111)	"	4	ColorSource 26		
7			(1000)	Angel HL	3	Source 4 19 575w		
8			(92)	Angel HL	2	Source 4 26 575w		
9								
10			(1)	FOH Center	11	Source 4 26 575w		
11			(93)	FOH Center	9	Source 4 26 575w		SR Pit
12			(2)	FOH Center	8	Source 4 26 575w		
13			(94)	FOH Center	5	Source 4 26 575w		CTR Put
14			(3)	FOH Center	4	Source 4 26 575w		

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
15		4/19	(63)	FOH Center	3	ColorSource 26		
		4/13	(1000)	"	6	ColorSource 50		
		4/67	"	"	6.1	Gobo Rotator		
		4/7	(62)	"	7	ColorSource 26		
		4/1	(61)	"	10	"		
16			(95)	FOH Center	2	Source 4 26 575w		SL Pit
17			(96)	Angel HR	2	Source 4 26 575w		
18			(1000)	Angel HR	1	Source 4 19 575w		
19		4/37	(116)	FOH Right 1	1	ColorSource 26		
		4/31	(115)	"	2	"		SL Wing
			(97)	"	4	Source 4 36 575w		SL Aisle
20		4/25	(1000)	Angel HR	3	ColorSource 26		
21								
22								
23								
24		4/55	(1000)	FOH Right 2	1	SlimPAR Pro USB		
		4/49	(58)	"	2	ColorSource JR DB		
		4/43	(54)	"	3	"		
25			(73)	A4	5	Source 4 36 575w		SR
26			(72)	A4	4	Source 4 36 575w		Top of stairs SR
27		1/27	(5)	A3	4	Source 4 36 575w		
		"	"	"	6	"		
28								
29			(6)	A3	2	Source 4 36 575w		

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
30b		2/31	(66)	A3	1	ColorSource JR DB		
		2/37	(65)	"	5	"		
		2/43	(64)	"	9	"		
		2/55	(41)	A4	2	SlimPAR Pro USB		
		2/49	(52)	"	3	ColorSource JR DB		
		2/13	(42)	A2	2	SlimPAR Pro USB		
		2/25	(53)	"	3	ColorSource JR DB		
31b			(77)	A2	1	Source 4 36 575w		SL Wing
32								
33b		2/181	(32)	D	1	SlimPAR Pro USB		
		2/193	(31)	"	3	"		
		2/1	(44)	A1	1	"		
		2/241	(46)	E	"	"		
		2/169	(57)	"	2	ColorSource JR DB		
34b			(80)	C1	1	Source 4 36 575w		SL Stair
35		2/79	(23)	B	1	SlimPAR Pro USB		
		2/91	(21)	"	4	"		
		2/265	(22)	G	1	"		
36b		2/103	(27)	C	2	SlimPAR Pro USB		
		2/115	(69)	"	3	ColorSource JR DB		
		2/121	(26)	"	5	SlimPAR Pro USB		
		2/133	(68)	"	7	ColorSource JR DB		
		2/139	(25)	"	8	SlimPAR Pro USB		
		2/151	(67)	"	10	ColorSource JR DB		
		2/157	(24)	"	11	SlimPAR Pro USB		
37b			(8)	C	9	Source 4 36 575w		
38								

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
39								
40b			(71)	A4	1	Source 4 36 575w		SR Wing
41b			(12)	C	1	Source 4 36 575w		
42b			(106)	B	2	Source 4 26 575w		SL Aisle
43b			(75)	A3	3	Source 4 36 575w		SL
44			(78)	C1	2	Source 4 36 575w		SR Stair
45								
46			(10)	C	6	Source 4 36 575w		
47			(11)	C	4	Source 4 36 575w		
48b			(74)	A3	7	Source 4 36 575w		SRC
49b			(102)	B	3	Source 4 36 575w		SR Aisle
50b			(7)	C	12	Source 4 36 575w		
51								
52b			(15)	D	2	Source 4 36 575w		
53			(79)	D	8	Source 4 26 575w		SR Stairs landing
54			(14)	D	5	Source 4 36 575w		
54b			(14)	D	7	Source 4 36 575w		
55b			(81)	D	4	Source 4 26 575w		SL Stairs landing
56								
57b			(13)	D	10	Source 4 36 575w		
58								

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
59		3/465	(35)	2ND ELEC	4	SlimPAR Pro USB		
		3/453	(34)	"	5	"		
		3/441	(33)	"	6	"		
		3/429	(47)	"	7	"		
		3/25	(59)	#9	1	ColorSource JR DB		
60			(82)	1ST ELEC	2	Source 4 26 575w		Upper Level
60b			(82)	1ST ELEC	1	Source 4 26 575w		Upper Level
61								
62								
63								
64		3/501	(48)	2ND ELEC	1	SlimPAR Pro USB		
		3/489	(37)	"	2	"		
		3/477	(36)	"	3	"		
		3/423	(60)	#1	1	ColorSource JR DB		
65		3/43	(218)	6TH ELEC	A1	COLORado Batten 72X		
		3/86	(217)	"	B1	"		
		3/129	(216)	"	C1	"		
		3/172	(215)	"	D1	"		
		3/215	(214)	"	E1	"		
		3/258	(213)	"	F1	"		
		3/301	(212)	"	G1	"		
		3/344	(211)	"	H1	"		

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
66		3/387	(40)	5TH ELEC	1	SlimPAR Pro USB		
		3/399	(39)	"	2	"		
		3/411	(38)	"	3	"		
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88								

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
89								
90								
91								
92								
93								
94								
95								
96								
97	1/97	(200)		FOH Left 2	4	SR PAR WFL	 R99+R100	House Light
98								
99								
100	1/100	(200)		FOH Left Rear	1	SR PAR WFL	 R99+R100	House Light
101								
102	1/102	(200)		FOH Center	12	SR PAR WFL	 R99+R100	House Light
	"	"		FOH Center Rear	2	"	"	"
103	1/103	(200)		FOH Center	1	SR PAR WFL	 R99+R100	House Light
	"	"		FOH Center Rear	"	"	"	"
104								
105								

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
106		1/106	(200)	FOH Right 2	4	SR PAR WFL	 R99+R100	House Light
		"	"	FOH Right 1	3	"	"	"
		"	"	FOH Right Rear	1	"	"	"
107								
108								
109		2/205	(30)	D	6	SlimPAR Pro USB		
		2/217	(29)	"	9	"		
		2/229	(28)	"	11	"		
		2/67	(43)	A5	1	"		
		2/253	(45)	I	"	"		
		2/175	(56)	"	2	ColorSource JR DB		
110			(4)	A3	8	Source 4 36 575w		
111			(76)	A2	4	Source 4 26 575w		Top of stairs SL

LETTERED Circuit#

Cir#	Dm	Addr	Chan	Position	U#	Type & Acc & Load	Color & Gobo	Purpose
W		2/283	(1000)	Apron	1	RGB LED Tape		
		2/286	"	"	2	"		
		2/289	"	Light Box	1	"		
		2/292	"	"	2	"		
		2/295	"	SL Steps	1	"		
		2/298	"	"	2	"		
		2/301	"	SR Steps	1	"		
		2/304	"	"	2	"		